

**Electricity
Distribution**

On Track To Trade Webinar

Responder – Storm Response

23rd July 2026

nationalgrid ▶ DSO



Electricity
Distribution

Welcome and introduction


Helen Sawdon

Head of DSO Operations


nationalgrid ► DSO




Housekeeping



**Please make sure your
microphone is muted
when not speaking**



**For questions or feedback,
please raise your hand or
use the Q&A/chat box**



**This session will be
recorded**

Agenda

Welcome and Introduction	• Housekeeping • Agenda • Objectives	Helen Sawdon Head of DSO Operations	10.00 – 10.10
Responder Overview	• What is it • How it works • Requirements • Eligibility	Helen Sawdon Head of DSO Operations	10.10 -10.25
Product Design	• Technical Parameters • Commercial Parameters	Joe Davey DSO Engineer	10.25 -10.35
Procurement Process and Timeline	• Entry routes • Participation timeline	Luke Boucher Flexibility Commercial Officer James Johnston (Piclo) CEO and Co-founder	10.35 –10.48
Q&A	• Questions can be posted in the chat at any time	Yingyi Wang Flexibility Commercial Manager	10.48 – 10.58
Closing	• Further reading • Thank you • Poll	Yingyi Wang Flexibility Commercial Manager	10.58 –11.00

Webinar Objectives

- Explain the purpose of Responder service along with network and customer benefits
- Overview of service requirements and how Responder will operate
- Share details on asset eligibility
- Understand participation, key milestones and timelines
- Answer any questions you might have

Electricity Distribution

We are the **Distribution Network Operator**.



We design, install and maintain the cables, wires, transformers and substations that make up the distribution network in the Midlands, South-Wales and South-West.



We support customers to get new electricity connections by building new network assets.



Our Control Room switches our network assets in real time to make sure power is always safe and reliable for our customers.

nationalgrid

nationalgrid ► DSO

We are the **Distribution System Operator**.



We operate today's distribution system and plan the system of tomorrow, all based on the priorities of the local communities and businesses that we serve.



We help customers to connect faster or make smarter use of their connections through being flexible in their energy use.



Our Energy Management Centre coordinates and schedules customer assets to help them make the best use of our network.

**Electricity
Distribution**

Responder overview

Helen Sawdon
Head of DSO Operations


nationalgrid ▶ **DSO**

2



Unlocking the full potential of Flex

Existing use cases



Supporting security of supply at peak times when demand exceeds network equipment capacity
DTD/GTU & DTU/GTD




Maximising the use of renewable generation by turning up demand when its at peak export
DTU/GTD




Quick 15min response to support rare post-fault condition
DTD/GTU


Emerging use cases



Now;
Responder – bringing forward demand to support network resilience
DTU



Next;
Local Voltage Management – balancing power flows to prevent voltage excursions
DTU/DTD



Future;
• EHV Voltage Management
• Broader resilience
• ...

New Winter Proposition - *Responder*

Responder is a new flexibility use case introduced by National Grid DSO for winter 2026/27.

It is designed to reduce the network risk during severe weather events by asking customers to use electricity earlier, instead of during forecasted storm periods – this could be **charging electric vehicles or batteries, pre-heating homes or commercial buildings, running household appliances, or bringing forward flexible household or business demand**. It aims to;

Reduce
Stress on
Network
during
weather
events



Unlock
alternative
network
configuration
options



Improve
customer
preparedness




The use case in detail

Supporting Network Resilience During Extreme Weather


- **Extreme weather events** (e.g. storms) can require alternative network configurations to restore power when equipment is damaged.
- While essential for customer restoration, these arrangements can place **additional stress on healthy network assets** due to unusual power flows and operating conditions.
- Exceptional weather conditions can create **unforeseen network risks**, despite the network being designed for resilience.
- **Flexibility services** can help reduce these risks and support network reliability during storm events.
- Responder encourages customers to **bring forward electricity usage before a forecast extreme weather event**, during a **pre-event window**, reducing demand during critical periods when the network may be under greater pressure.





Helen Town




Yingyi Village





Helen Town




Yingyi Village



Helen Town



Yingyi Village



The use case in detail

Benefits

- **Reduces demand on the network** during storm-related operational constraints.
- **Lowens the risk of overloading network infrastructure** when alternative running arrangements are in place.
- **Improves network resilience and restoration capability** during severe weather events.
- Helps customers **prepare for possible power outages** by ensuring:
 - EVs are charged and ready for use
 - Home batteries are charged
 - Homes are warm and prepared in advance
- Supports a more proactive approach to managing storm-related network risks.




Coverage

Current Flex Coverage



Coverage With Responder



Of the 340k assets in Market Gateway;

121.5k are now eligible for Responder, this includes;

- ~600MW of EV Charging
- ~800 MW of battery storage
- ~73MW of household/site demand

New assets can be registered now

Eligible assets

Responder currently supports flexible demand assets that can bring electricity consumption forward ahead of storm conditions

Currently Eligible

- **Battery Storage**
- **Heat Pump**
- **Smart EV Charging (Demand Side Response)**
- **Storage Heater**
- **Flexible Site Demand**

Not Currently Eligible

- **Scheduled Generation**
- **Intermittent Generation**
- **Vehicle-to-Grid (V2G)**

Applies to both Domestic and Industrial & Commercial assets

What does participation look like

1

1-2 days ahead - Weather forecasting identifies upcoming storm

2

1-2 days ahead - DSO Ops determine where demand shifting can support

3


1 day ahead - FSPs receive delivery notice at 10am

4

1 day ahead – between 8pm and midnight, FSPs bring forward their demand

5

During the storm event – less demand on the network unlocks additional network reconfiguration options



What does participation look like

Inform



Service Providers will be notified at 10am of an event

Schedule / Deliver



Energy consumption is brought forward between 8pm and midnight

Result



Consumers are more prepared during the storm



DNO has more network configuration options unlocked for supply restoration

**Electricity
Distribution**

Product Design



Joe Davey
DSO Engineer

nationalgrid ▶ **DSO**

3



A Novel New Delivery Mechanism



- Exploring the use of DTU to shift demand into a selected period rather than DTD to shift demand out of a selected period
- This winter will likely feature a mix of storm-based dispatches and test events to assess the impact of this new delivery mechanism
- The learning from this winter will shape future years' Responder dispatches
- Potential to broaden this delivery mechanism to other flexibility use cases

Product Design- Technical

Build on existing Operational Utilisation (OU) product to reduce complexity

Service Direction

Demand Turn Up

Season

Sep 26-Mar 27

Delivery Window

8pm-12am

Partially available is allowed

Voltage Level

HV

Network constraint is at HV, but both HV and LV connected assets can participate

Minimum Delivery Period

30 mins

Metering Requirement

**Minute-by-minute
or Half-hourly**

Eligibility

**Energised
Demand &
Storage**

No capacity threshold

Product Design- Commercial

Build on existing Operational Utilisation (OU) product to reduce complexity

Celling Price

**£1200/
MWH**

Payment Structure

Utilisation Only

Availability Window

Self-define

Payment Mechanism

Pay-as-clear

Clearing Rule

All or nothing

Performance Rule

10% grace factor + **2%** under-
delivery clawback

Stackability

Fully Stackable

Electricity
Distribution

Procurement process and timeline

Luke Boucher
Flexibility Commercial Officer

nationalgrid ► DSO

4



Market Participation Platforms



Access to NGED markets available directly or through [Piclo](#)



nationalgrid

How To Participate



Prepare your participation

- ✓ Check the Data Portal or Trade Opportunities on Market Gateway
- ✓ Book 1-to-1s to discuss your participation if needed
- ✓ For new participants only: watch out the 10-days stand down period
- ✓ Existing assets are eligible automatically. But please register new assets (via UI/API/CSV) as soon as possible
- ✓ API Signal: Opt out is available



Access National Grid DSO Markets via Piclo




James Johnston
CEO and Cofounder



Our partnership with National Grid DSO

- Piclo is fully integrated with NG DSOs processes and systems.
- End to end process: From qualification and trading, to dispatch and settlement.
- Short term and long term trades: and the new Responder product
- We act on your behalf: No need to log into Market Gateway or Flexible Power.



national**grid** ▶ DSO



FSPs trading in NG DSO Flexible Power via Pico



EDF Energy



OVO Energy



Fuse Energy



GridBeyond



Equiwatt



Shuffle Energy



P3P Partners



CUB (UK)



Conrad Energy



Welsh Power



Powerverse



Electric Miles



U Power

13 FSPs

have bid into NG DSO Flexible Power via Pico

91 FSPs

137,000+ assets

with assets registered on Pico within NG DSO area

37%

of accepted short-term capacity

FY25/26 — peaking at 67% in Feb 2026

Pico-matched FSPs: companies bidding via Pico cross-referenced with NGED published trade results. Capacity % = accepted kW from Pico-matched FSPs / total accepted kW in NGED short-term weekly trades FY25/26.



Step by Step guides

NGED / Market Gateway Overview

Flexibility Service Providers can now use Pico to participate in National Grid Electricity Distribution's (NGED) competitions via an integration with the Market Gateway platform which allows you to view and manage your asset data across both platforms.

To participate in NGED competitions, the information below provides an overview of the process involved.

Registration

If you are not yet registered with Pico, please create an account, go to the top navigation bar and complete the forms.

As part of this process, you can create a user login (email, password) for your (FSP) organisation account by providing registered company information. Please use the parent company information provided on the form.

You will need to accept the user terms for yourself, and the service terms for your organisation.

What if I already have a Market Gateway account?

If you already have an account and asset data within Market Gateway, please email support@pico.energy so that we can assist you further.

IMPORTANT: The company email address that you provide at registration is the email address that receives important emails such as dispatch instructions so please ensure emails are forwarded to the correct team by setting rules via your email client.

Company Qualification

Once you've registered on Pico, the next step is to complete the company qualification application. The application is called "National Grid Electricity Distribution" or you can navigate to it via the competition on the map or the manage menu.

- Navigate to **Manage > Applications > National Grid Electricity Distribution**

Company Qualification

Once you've registered on Pico, the next step is to complete the company qualification. The application is called "National Grid Electricity Distribution" or you can navigate to it via the competition on the map or the manage menu.

- Navigate to **Manage > Applications > National Grid Electricity Distribution**
- Click apply (top right) and complete the company qualification application. At a later stage, please select 'save' and 'continue' to save any information provided so that you can come back to it at a later date.
- The application includes a specific data consent question. This is between the Pico and Market Gateway on your behalf. To learn more, please see [National Grid Electricity Distribution](#).
- After submission of the company qualification application, you will be notified via email of the outcome of your application.
- If the company qualification is rejected, there will be an opportunity to re-apply via Pico.

Asset Qualification

NGED will only qualify operational assets. You can upload or change existing assets.

To upload new operational assets and/or edit existing operational assets, please follow the steps below:

1. Navigate to **Manage > Assets** and 'download the latest template for existing assets' to change or remove existing assets in the platform.
2. Fill in all the required data points (one row per asset) and/or export the file as xlsx. **NGED competitions have additional asset data provided: Asset Scale, Metering Point and Import Meter ID.**
3. If your company qualification is approved and assets are within the capacity limits and have the compatible capacity, the assets will be qualified for the competition.
4. Please **do not** upload any planned assets intended to participate in the competition. These should be uploaded to the 'Planned Assets' tab in the asset upload template, as these will not be qualified for the competition.

Bidding

For NGED competitions the following bidding rules must be followed. Please be aware these rules will not be validated within Pico, so please ensure they have been adhered to before finalising your bids.

Product	Asset specific bidding	Capacity
Dynamic	Not allowed, must bid with all assets in area	One value across whole competition
Secure	Not allowed, must bid with all assets in area	One value across whole competition
Operational Utilisation & Scheduled Availability (SAOU_DA)	Not allowed, must bid with all assets in area	Different value allowed each service month
Operational Utilisation (OU_15)	Not allowed, must bid with all assets in area	Different value allowed each service month
Scheduled Utilisation (Settlement periods) (SU_SEP)	Not allowed, must bid with all assets in area	Different value allowed each service month
Scheduled Utilisation (Specific periods) (SU_SPP)	Not allowed, must bid with all assets in area	One value across whole competition

IMPORTANT: Pico will not send your bids to NGED for consideration if the bids do not adhere to the rules.

Competition closing time is 12 noon on Pico. This gives time during working hours before submitting bids to NGED's midnight deadline.

Dispatch

When will I receive dispatch instructions?

A start dispatch instruction email is sent up to 15 minutes before the required start time to allow for asset ramp up.

A corresponding stop dispatch instruction email is sent at the required stop time.

Start and stop dispatch instruction emails include the NGED constraint area name where the service is required. Full details on the capacity required can be found within your contractual obligations file.

Please note that NGED dispatching will be exclusively handled by emails, even if you are currently integrated with our dispatch APIs.

Settlement

When do I need to send metering data?

All metering data for a specific delivery month must be uploaded by the 14th calendar day of the following month. This includes half hourly metering data for:

- All half hour periods in which you were dispatched (you may also upload a full day/months worth of metering if it is simpler to do so).
- All unique MPANs dispatched.

When will invoices be shared?

Invoices will be shared by the 17th of each month for services delivered in the previous month. Please contact customer success if you have any questions or would like to raise a dispute.

For more detailed information on participating in NGED's competitions, please refer to the NGED FAQ.

Did this answer your question?



API documentation

The image displays a comprehensive API documentation page for Pico Flex Assets. The page is organized into several sections, each detailing a specific API endpoint.

- Create a new Flex Asset:** This section describes the endpoint for creating a new Flex Asset. It includes a sidebar with a search bar and a list of endpoints. The main content area shows the endpoint details, including the method (POST), the path (/assets/v1/), and the request body schema (application/json).
- competition visibility:** This section describes the endpoint for retrieving competition visibility. It includes a sidebar with a search bar and a list of endpoints. The main content area shows the endpoint details, including the method (GET), the path (/bidding-opportunities/v1/), and the request body schema (application/json).
- Retrieve your Bidding Opportunities:** This section describes the endpoint for retrieving bidding opportunities. It includes a sidebar with a search bar and a list of endpoints. The main content area shows the endpoint details, including the method (GET), the path (/bidding-opportunities/v1/), and the request body schema (application/json).
- bid submission:** This section describes the endpoint for submitting bids. It includes a sidebar with a search bar and a list of endpoints. The main content area shows the endpoint details, including the method (POST), the path (/bids/v1/competitions/{competition_id}/bids), and the request body schema (application/json).

The documentation also includes a sidebar with a search bar and a list of endpoints, and a footer with the URL docs.picloflex.com.

docs.picloflex.com

July

- W/C 6th July Requirements Published to Data Portal ✓
- W/C 20th July Requirements Live on Market Gateway ✓
- **27th July Trades Open**

August

- **28th August Trades Close**

September

- W/C 7th September Trade Awards Announced

Electricity
Distribution

Q&A

Yingyi Wang
Flexibility Commercial Manager

nationalgrid ▶ DSO



Closing

Yingyi Wang
Flexibility Commercial Manager

6



Continued Engagement

1 1-2-1 session



Email nged.flexiblepower@nationalgrid.co.uk to set up a 1-2-1 call to discuss participation further

2 Responder Fact Sheet



Fact sheet with full details of Responder has been published



3 Focus Group



New quarterly focus group launched. Get in touch [HERE](#) if you're interested in joining.

Useful Links

- ✓ [Responder Factsheet](#)
- ✓ Data Portal – [Responder requirements](#)
- ✓ [Market Gateway](#)
- ✓ [Flexible Power Portal](#)
- ✓ [National Grid DSO website](#)

nationalgrid ▶ DSO

Flexibility Markets Team

nged.flexiblepower@nationalgrid.co.uk